

UX Case Study

Intuitive Control for Multi-Drone ISR Missions

Ulm 25.06.2025

Fabian Königler

Why Does C2 Need a Rethink?

MISSION & NUTZERKONTEXT
(SLIDES 3 - 7)

RESEARCH INSIGHTS
(SLIDES 8 - 13)

OPERATIONAL JOURNEY
(SLIDES 14 - 15)

CORE INTERACTION FLOWS
(SLIDES 16 - 34)

KEY TAKE-AWAYS & NEXT STEPS
(SLIDES 35 - 39)

Mission Context & Constraints

Why it matters

The Challenge

Modern ISR missions require managing multiple drones in real time under pressure – in complex, often challenging terrain

The Objective

Design a clear and scalable UI for controlling 5 semi-autonomous ISR drones, enabling:

- Mission assignment
- Status monitoring
- Timely human intervention

Core Parameters

Drones	max. 5 semi-autonomous units
User Role	Human operator with full mission oversight
Context	Urban or forested terrain, real-time ops
UX Focus	Clarity, prioritization, cognitive relief

Operator Insight

Who we're designing for

- Role** Tactical Operator in ISR Missions
- Context**
- Operates solo in field-based ISR missions
 - Works under pressure: noise, time-critical, unstable signals
- Task flow** Mission planning → Drone deployment → Monitoring & intervention
- Key Needs**
- Situational clarity at a glance
 - Reliable system feedback under stress
 - Minimal friction: low interaction cost, fast action paths
 - Trust in autonomy - with clear options to intervene

Governmental



7" rugged tablet/controller
with touch & buttons

Alex K. (32)

Tactical Drone Operator

Operator Insight

Who we're also designing for


Role Environmental Surveyor / Drone Mapping Specialist

- Context**
- Deploys VTOL drones with LiDAR/multispectral sensors
 - in remote terrain under sun, wind & signal limits

Task flow Plan → Fly → Scan → Process

- Key Needs**
- Quick route & terrain adjustment
 - Seamless sensor integration
 - Reliable autonomy + manual override
 - Rugged, intuitive UI for long outdoor use

Commercial



10" rugged tablet/controller
with touch

Tom W. (39)

Geospatial Analyst

Operator Insight

Government vs. Commercial Operators

Government ISR Operator

- Surveillance, recon, tactical ISR
- Hostile, noisy, signal risk, high stress
- Thermal, visual, radio, radar
- Real-time awareness, threat detection
- Speed, clarity, trust in autonomy
- Manual override critical

Commercial Surveyor

- Mapping, agriculture, terrain inspection
- Remote, sunny, variable terrain
- LiDAR, multispectral, RGB
- Accurate data acquisition
- Stability, post-processing, offline capability
- Autonomy with safety fallback

Shared Core Flow

Plan → Fly → Scan → Process

This applies to both, but differs in tools, UI focus & environment

First, Understand the Present

„You must first understand the present,
the past – and anticipate what comes next.“

Analyzing control platforms, dashboards, tactical interfaces, commercial tools, user journeys,
and cognitive studies – to truly understand the problem space before shaping solutions.

From Field Notes to Patterns

Current C2/C4 platform hardware consists of Hardware Target Screen and Control Units



Vision of an Ideal C2/C4 platform of the future

Future Vision of a Next-Gen C2/C4 Platform (2025-2030)

- AI-driven threat detection and classification
- Seamless integration of human and machine operators
- Adaptive, context-aware user interfaces
- Enhanced situational awareness and data fusion
- Robust, secure, and resilient communication links
- Scalable architecture for multi-domain operations
- Interoperability with legacy and emerging systems
- Real-time performance optimization
- Enhanced cybersecurity and threat protection
- Streamlined workflow and reduced cognitive load
- Improved decision-making and coordination
- Enhanced resilience and fault tolerance
- Seamless integration of intelligence, surveillance, and reconnaissance (ISR) capabilities
- Enhanced coordination and collaboration between operators
- Improved threat detection and classification accuracy
- Enhanced situational awareness and data fusion capabilities
- Improved communication and data link reliability
- Enhanced system scalability and flexibility
- Improved user experience and operator workload management
- Enhanced system security and threat protection
- Improved system resilience and fault tolerance
- Enhanced system interoperability and integration
- Improved system performance and efficiency
- Enhanced system maintainability and supportability
- Improved system reliability and availability
- Enhanced system security and threat protection
- Improved system resilience and fault tolerance
- Enhanced system interoperability and integration
- Improved system performance and efficiency
- Enhanced system maintainability and supportability
- Improved system reliability and availability

Vision Summary

The future C2/C4 platform is AI-native, perception-rich, and operator-focused. It adapts in real time, protects itself, and supports humans with clarity, speed, and confidence - whether in defense, disaster, or drone ops.

Future Mood



MOOD & INSPIRATION



Artikel & Dokumente



Commission on Software DEFINED WARFARE



Designing Data & Dashboard Visualizations for Future UAV System




DIRD_28-DIRD_Cockpits_in_the_Era_of_Breakthrough_Flight



DIRD_34-DIRD_Cognitive_Limits_on_Simultaneous_Control_of_Multiple



Icons



Animation Videos



...a rabbit hole of research, tabs, more tabs – and yes, even unclassified documents...

Existing systems and control paradigms

DIRD_28-DIRD_Cockpits_In_the_Era_of_Breakthrough_Flight

DIRD_34_DIRD_Cognitive_Limits_on_Simultaneous_Control_of_Multiple


Icons



Animations & Transitions
Animation/Videos



UAVs
Trinity



DRONEMAIL

DRONEMAIL		2025 UAV PRODUCT LINE	
Model	Altitude	Speed	Range
Model	Altitude	Speed	Range
Model	Altitude	Speed	Range
Model	Altitude	Speed	Range
Model	Altitude	Speed	Range

mosaic-uxs
<https://quantum-systems.com/mosaic-uxs/>




qbase-tactical
<https://quantum-systems.com/qbase-tactical/>



anduril-s-lattice
<https://www.anduril.com/article/anduril-s-lattice-a-trusted-dual-use-co...>



Commercial Drone Ground Control
<https://fuselabcreative.com/our-proj...>




Commercial Drone Ground Control
<https://fuselabcreative.com/our-...>




commercial Drone Control



Maps & Mapping
selabcreati...



Waether wind maps



HUDs & LOS Control



Emerging tech, tactical interfaces from the past & future

Vision of an ideal C2/C4 platform of the future

Future Vision of a Next-Gen C2/C4 Platform (2025-2035)


- Area**
- Core Platform**
 - Advanced Capabilities
 - Multitier command architecture with secure networking, drone control, edge nodes & real-time fusion.
- Cybersecurity Focus**
 - End-to-end encryption, anti-jamming, secure OTA updates, resilient protocols for contested domains.
- AI/ML Integration**
 - AI agents embedded in microcontrollers for edge autonomy, pattern recognition & adaptive logic.
- Cybernetics in Robotics**
 - Tightly coupled sensor-actuator logic with learning feedback loops, auto-calibrating swarm members.
- Synthetic Data Layer**
 - On-demand generation of synthetic datasets (e.g. via Stable Diffusion) for model training & scenario sim.
- Multispectral Perception**
 - Integration of radar, IR, EO, gravity, gas sensors for enhanced terrain & object classification.
- Computed Reality Layer**
 - Overlay of predictive elements (trajectory, failure probability, impact) into real-world situational UI.
- Edge Processing**
 - AI co-processing directly on tactical hardware: low-latency decisions, data filtering & resilience.
- Heterogeneous Swarming**
 - Coordination across drone types (fixed-wing, quad, UGVs), nets & capabilities via edge and edge swarm logic.
- ATN Flexibility**
 - Autonomic Target Recognition via agnostic ML algorithms that adapt to custom-trained datasets on the fly.
- Spatial / AR UI**
 - Headless, tactical AR glasses, real-time Point & Command interfaces, synchronized with drone feedback.
- Unified UX**
 - Contextual controls inspired by RTTFFS: radial menus, role-switching, interactive reality headFocus overlays.
- UX Principles**
 - Multimodal interaction (voice, touch, pointer), adaptive UI layers per user role (Commander, Operator, Analyst).

Vision Summary

The future C2/C4 platform is AI-native, perception-rich, and operator-focused.

It adapts in real-time, protects itself, and supports humans with clarity, speed, and confidence - whether in defense, disaster, or drone ops.

Future Mood



Key Research Insights

Concept Idea	Meaning (What It Is)	Support by Research (Why It Matters)
Hybrid Modes with Focus	Context-based modes only show what is important at the right time	Reduces visual overload, supports situational awareness
Mental Model for UI	Spatial layout helps switch between phases or views	Spatial awareness & cognitive clarity help massively
Mission-Centered Interface	Interface is goal-oriented, not just about control	Shift from control to goal fulfillment
Modular UI Zones	Adaptive sections like Map, Alerts, Feed shift based on need	Adaptive displays & focus shift
AI & Automation in UI	AI supports decision-making, suggests actions, auto-prioritizes	Shared autonomy & cognitive offloading


Design Principles

Principle	How it helps the operator
Single-glance clarity	Fleet health must be readable in < 2 s (NATO STANAG 4671 human-factors rule-of-thumb).
Progressive disclosure	Show only what's abnormal by default; expand on demand.
Spatial anchoring	Pair every status cue with its geo-location on the map → instant context.
Alert triage	Sort by Severity > Age > Asset so the worst item is always top left / top of list.
Redundancy of modality	Combine colour, shape, icon + short sound to survive vision, glare or stress limits.

4-Phase Mission Journey

Phase	User Focus	UX Priority	Key Interactions
01 Prepare	Mission setup & drone readiness	Overview & validation	Area selection, zone drawing, drone checklists
02 Deploy	Launch & initial positioning	Feedback & confidence	Launch commands, status confirm, live position
03 Operate	Real-time monitoring & alerts	Focus & quick reaction	Alert stack, feed switch, manual override
04 Recover	Return & mission wrap-up	Safety & transparency	RTB commands, battery view, data debrief

Scalable Mental Model



Defines the core layout logic - what stays visible, what changes with context.

Focuses on

- Spatial clarity (map as anchor)
- Fast access to mission-critical actions
- Context-driven panels for tasks & telemetry
- Foundation for future UI design & interaction flow


Journey Detail – Assign & Launch

Problem: Operators must turn high-level ISR intent into an executable, multi-drone plan fast and intuitively, with automation but instant override.



Flow Diagram – Assign + Launch

Assign mission to drones represents just one epic or part of the entire user journey:



Wireframes – Task & Asset Allocation

“Mission owns UAVs, not the other way around” (= *mission-first*)



UAS Mission - Prepare Phase

Colour-coded map layers:
Transit (Base 1), Mission Area,
Geo-Fence (landing),
No-Fly Zone, Return (Base 2)...

Dashed arrows trace planned route:
launch → observe → return

Top ribbon shows 4-step workflow
(Prepare | Deploy | Operate | Recover)


Map control/filter panel for layer-toggle
& zoom

Quick-action keys listed: Start, Hold, RTB,
Camera, Zoom

Wireframes – Task & Asset Allocation

“Mission owns UAVs, not the other way around” (= *mission-first*)

! Mission-first logic: “Define the job → let the system propose assets → you approve.”



UAS Mission - Prepare Phase

Colour-coded map layers:
Transit (Base 1), Mission Area,
Geo-Fence (landing),
No-Fly Zone, Return (Base 2)...

Dashed arrows trace planned route:
launch → observe → return


Top ribbon shows 4-step workflow
(Prepare | Deploy | Operate | Recover)

Map control/filter panel for layer-toggle
& zoom

Quick-action keys listed: Start, Hold, RTB,
Camera, Zoom

Wireframes – Task & Asset Allocation

“Mission owns UAVs, not the other way around” (= *mission-centric*)



UAV Allocation - Prepare Phase (before & after assignment)

Select from the Available UAVs list,
previewing key specs + status

Assign individually or via Auto-assign;

Each mission drone is tagged with route
and RTB base (e.g., Route A RTB2).

Inventory counters update; Assign
buttons grey-out once quotas met.

Live map and MAP CONTROL stay visible
for spatial context and quick shortcuts.

Wireframes – Task & Asset Allocation

“Mission owns UAVs, not the other way around” (= *mission-centric*)

! AI-powered Automation: “Automate with templates → let the system optimize the process → you override when needed.”



UAV Allocation - Prepare Phase (before & after assignment)

Select from the Available UAVs list,
previewing key specs + status

Assign individually or via Auto-assign;


Each mission drone is tagged with route
and RTB base (e.g., Route A RTB2).

Inventory counters update; Assign
buttons grey-out once quotas met.

Live map and MAP CONTROL stay visible
for spatial context and quick shortcuts.

Flow Diagram – Alert Logic

Problem: Monitor the status of all drones at a glance (including alerts)



Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)



→ Normal ops

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)



→ Normal ops

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)

Connected 4 Warning 1

01 Prepare | 02 Deploy | 03 Operate | 04 Recover

13:27

Twister 1: Weak Signal RSSI (dBm)

Drone Fleet Status

Twister 1	5km 100m	Signal	Alert
Vector 1	20km 100m	Signal	Alert
Vector 2	10km 200m	Signal	Alert
Twister 2	8km 200m	Signal	Alert

Observe

Doorra

Live feed

Twister 1

RSSI ≤ -95 dBm	LQ 1
22,5 V	3,8 V 1A
23 Sats	3D Fix 60 km/h
Home	5km 200m

MAP CONTROL (draggable)

Map Layers, Filter, Select, View, Zoom, Rest, Legend, Basemap

[Stop], [Hold], [RTB], [Camera], [Zoom], [Manual Mode]

Cancel Auto-Mode ON

01 sec	Ascend 20 m
05 sec	Yaw +45°
05 sec	RTL


→ Normal ops

→ Weak-signal alert pops,
Quick-AI suggests:
"Ascend 20 m / Yaw +45°"

Audio Feedback (Short)

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)



→ Normal ops

→ Weak-signal alert pops,
Quick-AI suggests:
"Ascend 20 m / Yaw +45°"

🔊 Audio Feedback (Short)

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)

Connected 4 Warning 1 01 Prepare | 02 Deploy | 03 Operate | 04 Recover 13:27

Twister 1: Weak Signal RSSI (dBm)

Alert Stack + colour halos surface only anomalies, sorted by severity.

Drone Fleet Status

Drone	Altitude	Distance	Signal	Mode
Twister 1	5km	100m	Weak	Alert
Vector 1	20km	100m	Good	Normal
Vector 2	10km	200m	Good	Normal
Twister 2	8km	200m	Good	Normal

Observe Doorra

Live feed

RSSI ≤ -95 dBm LQ 1

22,5 V 3,8 V 1A

23 Sats 3D Fix 60 km/h

Home 5km 200m

MAP CONTROL (draggable)
Map Layers, Filter, Select, View, Zoom, Rest, Legend, Basemap

Cancel Auto-Mode ON

01 sec	Ascend 20 m
05 sec	Yaw +45°
05 sec	RTL

[Stop], [Hold], [RTB], [Camera], [Zoom], [Manual Mode]


→ Normal ops

→ Weak-signal alert pops,
Quick-AI suggests:
"Ascend 20 m / Yaw +45°"

Audio Feedback (Short)

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)



→ Normal ops


→ Weak-signal alert pops,
Quick-AI suggests:
"Ascend 20 m / Yaw +45°"

→ Link breaks, UI shows last
frame + red "Signal Lost" status.

 **Audio Feedback (Long)**

Wireframes – Alert Handling

Problem: Monitor the status of all drones at a glance (including alerts)



→ Normal ops


→ Weak-signal alert pops, Quick-AI suggests: "Ascend 20 m / Yaw +45°"

→ Link breaks, UI shows last frame + red "Signal Lost" status.

 Audio Feedback (Long)

Wireframes – Real-Time Intervention

Problem: Interact or intervene with a specific drone when necessary, without losing overall situational awareness




→ Tap the weak-signal drone in the fleet strip or switch to manual mode

ⓘ Focus Mode with Picture-in-Picture

- If a drone is selected for deeper interaction, a mini live feed (PiP) locks into a screen corner.
- The rest of the interface stays fully navigable.

Wireframes – Real-Time Intervention

Problem: Interact or intervene with a specific drone when necessary, without losing overall situational awareness




→ Tap the weak-signal drone in the fleet strip or switch to manual mode

→ the UI fans out a focused detail card and quick-action panel, yet the live HUD and the rest of the fleet remain on screen.

→ You can step in on Twister 1 without losing the big-picture view

Wireframes – Real-Time Intervention

Problem: Interact or intervene with a specific drone when necessary, without losing overall situational awareness




→ Tap the weak-signal drone in the fleet strip or switch to manual mode

→ the UI fans out a focused detail card and quick-action panel, yet the live HUD and the rest of the fleet remain on screen.

→ You can step in on Twister 1 without losing the big-picture view

Wireframes – Real-Time Intervention

Problem: Interact or intervene with a specific drone when necessary, without losing overall situational awareness



→ Tap the weak-signal drone in the fleet strip


→ the UI fans out a focused detail card and quick-action panel, yet the live HUD and the rest of the fleet remain on screen.

→ You can step in on Twister 1 without losing the big-picture view

→ whether horizontal or lateral panels adapt to the user's field of vision or needs

Wireframes – Real-Time Intervention

Problem: Interact or intervene with a specific drone when necessary, without losing overall situational awareness



→ Tap the weak-signal drone in the fleet strip

→ the UI fans out a focused detail card and quick-action panel, yet the live HUD and the rest of the fleet remain on screen.

→ You can step in on Twister 1 without losing the big-picture view

→ whether horizontal or lateral panels adapt to the user's field of vision or needs

Journey Revisited:

Recover & Debrief

Why this structure works

- Matches operator's mental model under pressure
- Enables phase-aware UI behavior (adaptive, not static)
- Clear entry/exit logic for each step → less cognitive load



Latency & Cognitive-Load Strategy



Gamified UX Principles Applied



Impact Metrics & Future Work



A photograph of two soldiers in a forest. The soldier on the right is wearing a helmet and tactical gear, holding a rugged handheld device. The soldier on the left is partially visible, wearing a helmet. In the foreground, a laptop is open on a camouflage-patterned surface, with various cables and a power source connected to it. The background shows a dense forest of tall trees.

Key Take-aways & Next Steps

**We can't wait to see what
we will achieve together!**